## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

 Applicant:
 Nicola Da Dalt
 Examiner:
 Levi Gannon

 Serial No.:
 10/541,049
 Group Art Unit:
 2817

 Filed:
 February 13, 2006
 Docket:
 1435.128.101

Title: DEVICE AND METHOD FOR FREQUENCY SYNTHESIS

## REQUEST FOR CORRECTED FILING RECEIPT

Office of Initial Patent Examination's Filing Receipt Corrections Commissioner for Patents

P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Applicant hereby requests correction of the Filing Receipt with respect to the above-identified patent application. In the Filing Receipt, the Title, Attorney Docket No., Total Claims, and Power of Attorney Customer No. are incorrect.

In the Filing Receipt, the title reads as follows:

DEVICE AND METHOD FOR CARRYING OUT FREQUENCY SYNTHESIS

In the Filing Receipt, the title should read as follows:

DEVICE AND METHOD FOR FREQUENCY SYNTHESIS

In the Filing Receipt, the Attorney Docket No. reads as follows:

1435.128.101/12928

In the Filing Receipt, the Attorney Docket No. should read as follows:

I435.128.101/12928US

In the Filing Receipt, the Total Claims reads as follows:

39

In the Filing Receipt, the Total Claims should read as follows:

23

Request for Corrected Filing Receipt

Applicant: Nicola Da Dalt Serial No.: 10/541,049 Filed: February 13, 2006 Docket No.: 1435,128,101

45782

Title: DEVICE AND METHOD FOR FREQUENCY SYNTHESIS

In the Filing Receipt, the Power of Attorney Customer No. reads as follows: 25281

In the Filing Receipt, the Power of Attorney Customer No. should read as follows:

Applicant would appreciate the above-identified printing error be corrected and that a new "corrected" Filing Receipt be sent to Applicant's representatives at the address give below.

Respectfully submitted,

Nicola Da Dalt.

By his attorneys,

DICKE, BILLIG & CZAJA, PLLC Fifth Street Towers, Suite 2250 100 South Fifth Street Minneapolis, MN 55402 Telephone: (612) 573-2003

Facsimile: (612) 573-2005

Date: May 22, 2009

PGB/mlm

By: /Patrick G. Billig/ Patrick G. Billig Reg. No. 38,080